

GARLAND

"Green Heat"

Garland Induction Net Price List

Net Pricing valid from October 15, 2023

Last Updated 10/13/2023

Induction Counter Top Series	Page #	Induction Designer Series	Page #
Cook Top Line	3	Drop-In Line	6-7
Wok Line	4	Compact Install Line	8-13
Griddle Line	5		
Hold Line (Counter Top)	14	Hold-Line Designer Series	Page #
Counter Top Accessories	16	Hold Line	14
Induction Range	Page #	Counter/Built-In Series Accessories	16
GME Models	15		

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.

Garland Commercial Ranges Ltd., reserves the right to change prices, accessories, or products without notice.

Contact Customer Service for the latest information.

COMPANY CONFIDENTIAL FOR INTERNAL USE ONLY. DO NOT REDISTRIBUTE WITHOUT WRITTEN AUTHORIZATION.

Garland Induction Nomenclature

	Series	Dual Hobs / Specialty	Function	Built-In	Power (Watt)	Available Models
Counter Units	BH = Baby Hob		BA		2500	BHBA2500
	BH = Baby Hob		BA = Base Line		1.8kW, 2.5kW, 3.5kW	BHBA1800/2500/3500
	GI	IC	DH		7000	GIC-DH7.0
	GI = Garland Induction	INSTINCT Countertop	SH = Single Hob		3.5kW, 5kW	GIC-SHS.5/5.0
	GI = Garland Induction	INSTINCT Countertop	SW = Single Wok		3.5kW, 5kW	GIC-SWS.5/5.0
	GI = Garland Induction	INSTINCT Countertop	SG = Single Griddle		3.5kW, 5kW	GIC-SGS.5/5.0
Drop-in Install	GI = Garland Induction	INSTINCT Countertop	DH = Dual Hobs		7kW, 10kW	GIC-DHT.010
	GI = Garland Induction	INSTINCT Countertop	DG = Dual Griddles		7kW, 10kW	GIC-DGT.010
	SH = Slim Hob	DU		IN	7000	SHDUIN 7000
	SH = Slim Hob			N = Built-in Line	2.5kW, 3.5kW, 5kW	SHNCS0305005020
	SH = Slim Hob	DU = Dual		N = Built-in Line	7kW, 10kW	SHDUINT000110000
	SH = Slim Hob		GR = Griddle line	N = Built-in Line	3.5kW, 5kW	SHDRIN35005005000
Holding	SH = Slim Hob		WO = Wok line	N = Built-in Line	3.5kW, 5kW, 8kW	SHWCSN35005008000
	HO = Hold Line			IN	1500	HOB1500
	HO = Hold Line			N = Built-in Line	1.5kW	HOB1500
Compact Install	SH = Slim Hob	DU		CL	7000	SHDUCL7000
	SH = Slim Hob	DU = Dual		CL = Compact Line	7kW, 10kW	SHDUCL700010000
	SH = Slim Hob	QU = Quad		CL = Compact Line	7kW, 10kW	SHQUCL700010000

GARLAND "Green Heat"

Prices shown in \$US Net Pricing Effective from Oct 15, 2023
Dimensions: in/mm x Total Output: kW/W

Garland Induction Counter Cook Top Line Net Price List

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.

COMPANY CONFIDENTIAL FOR INTERNAL USE ONLY. DO NOT REDISTRIBUTE WITHOUT WRITTEN AUTHORIZATION.

Product	Model No.	Article No.	Power kW	Voltage V	Amps A	Phase AC	Certification	Dimensions in. (mm) w x d x h	Ceramic Top in. (mm) w x d	Coil Ø in. (mm)	Weight lb (kg)	Net Price USD
ONE (1) COOKING ZONES (SINGLE HOB)												
	BHBA1800	99590102	1.8	120	15	1	ETL	12.6 x 14.9 x 4.2 (320 x 380 x 107)	10.2 x 10.2 (260 x 260)	7.87 (200)	22.0 (10)	\$1,120
	BHBA2000	99590103	2.5	208	12	1	ETL	12.6 x 14.9 x 4.2 (320 x 380 x 107)	10.2 x 10.2 (260 x 260)	7.87 (200)	22.0 (10)	\$1,296
	BHBA2000	99590104	2.5	230	12	1	CE	12.6 x 14.9 x 4.2 (320 x 380 x 107)	10.2 x 10.2 (260 x 260)	7.87 (200)	22.0 (10)	\$1,296
	BHBA3000	99590109	3.5	208	16	1	ETL	12.6 x 14.9 x 4.2 (320 x 380 x 107)	10.2 x 10.2 (260 x 260)	7.87 (200)	22.0 (10)	\$1,750
	GIC-SH3.5	99590209	3.5	208-240	16	1	UL, CE	14.9 x 17.3 x 5.5 (380 x 440 x 140)	14.6 x 13.7 (372 x 349)	8.66 (220)	26.5 (12)	\$1,808
	GIC-SH5.0	99590207	5	208-240	14	3	UL	14.9 x 17.3 x 5.5 (380 x 440 x 140)	14.6 x 13.7 (372 x 349)	8.66 (220)	30.9 (14)	\$2,195
	GIC-SH5.0	99590208	5	380-440	8	3	CE	14.9 x 17.3 x 5.5 (380 x 440 x 140)	14.6 x 13.7 (372 x 349)	8.66 (220)	30.9 (14)	\$2,166
TWO (2) COOKING ZONES (DUAL HOB)												
	GIC-DH7.0	99590214	2 x 3.5	208-240	22	3	UL	14.9 x 28.3 x 5.5 (380 x 720 x 140)	14.6 x 23.9 (372 x 609)	2 x 8.66 (220)	47 (21)	\$3,433
	GIC-DH10.0	99590215	2 x 5.0	208-240	30	3	UL	14.9 x 28.3 x 5.5 (380 x 720 x 140)	14.6 x 23.9 (372 x 609)	2 x 8.66 (220)	47 (21)	\$4,222
	GIC-DH10.0	99590217	3 x 5.0	380-440	11	3	CE	14.9 x 28.3 x 5.5 (380 x 720 x 140)	14.6 x 23.9 (372 x 609)	2 x 8.66 (220)	47 (21)	\$4,222

GARLAND "Green Heat"

Prices shown in \$US Net Pricing Effective from Oct 15, 2023
Dimensions: in/mm x Total Output: kW/W

Garland Induction Counter Top Wok Line Net Price List

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.

COMPANY CONFIDENTIAL FOR INTERNAL USE ONLY. DO NOT REDISTRIBUTE WITHOUT WRITTEN AUTHORIZATION.

Product	Model No.	Article No.	Power kW	Voltage V	Amps A	Phase AC	Certification	Dimensions in. (mm) w x d x h	Ceramic Top in. (mm) w x d	Coil Ø in. (mm)	Weight lb (kg)	Net Price USD
	GIC-SW3.5	99570019	3.5	208-240	16	1	UL, CE	14.9 x 18.5 x 7.8 (380 x 473 x 200)	11.8 (300)	10.63 (270)	32.9 (14)	\$2,240
	GIC-SW5.0	99570014	5.0	208-240	14	3	UL	14.9 x 18.5 x 7.8 (380 x 473 x 200)	11.8 (300)	10.63 (270)	36.0 (16)	\$2,598
	GIC-SW5.0	99570015	5.0	380-440	8	3	CE	14.9 x 18.5 x 7.8 (380 x 473 x 200)	11.8 (300)	10.63 (270)	36 (16)	\$2,598

Accessory, Image	Article No.	Description	Ø x H in. (mm)	Capacity Gal (litre)	Net Price USD
	72205016	Round-base wok, Multi-layer	14.1 x 3.9 (360 x 100)	1.35 (5.2)	\$242
	72205020	Round-base wok, Multi-layer	14.1 x 5.5 (360 x 140)	2.47 (9.5)	\$300
	72205030	Lid	14.5 x 4.7 (370 x 120)		\$139

GARLAND "Green Heat"

Prices shown in \$US Net Pricing Effective from Oct 15, 2023
Dimensions: in/mm • Total Output: kW/HP

Garland Induction Counter Top Griddle Line Price List

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.

Product	Model No.	Article No.	Power kW	Voltage V	Amps A	Phase AC	Certification	Dimensions in. (mm) w x d x h	Cooking Zone in. (mm) w x d	Weight lb (kg)	Net Price USD
INSTINCT Series	GIIC-SG3.0	99650038	3.5	208-240	17	1	UL CE	20.9 x 18.4 x 7.7 (531 x 469 x 195)	19.4 x 13.8 (493 x 352)	62 (28)	\$4,892
	GIIC-SG5.0	99650034	5.0	208-240	14	3	UL	20.9 x 17.5 x 7.7 (531 x 446 x 195)	19.1 x 13.8 (485 x 345)	62 (28)	\$5,078
	GIIC-SG5.0	99650035	5.0	380-440	8	3	CE	20.9 x 18.4 x 7.7 (531 x 469 x 195)	19.4 x 13.8 (493 x 352)	67 (30)	\$5,078
TWO (2) COOKING ZONES (DUAL GRIDDLE)											
InstINCT Series	GIIC-DG7.0	99650039	7.0	208-240	20	3	UL	25.8 x 28.2 x 7.7 (656 x 717 x 195)	24.3 x 22.7 (618 x 577)	106 (48)	\$8,371
	GIIC-DG10.0	99650040	10.0	208-240	30	3	UL	25.8 x 28.2 x 7.7 (656 x 717 x 195)	24.3 x 22.7 (618 x 577)	106 (48)	\$8,569
	GIIC-DG10.0	99650041	10.0	380-440	16	3	CE	25.8 x 28.2 x 7.7 (656 x 717 x 195)	24.3 x 22.7 (618 x 577)	106 (48)	\$8,569

Countertop griddle pricing includes the following accessories:
Spatter Protection Shield (Single or Dual, 1x), Griddle Spatula (1x), Tabletop Non-Slip Self-Adhesive Pads for Feet (1 Pack of 4 Pads).

Accessory Article No.	Description	Quantity	Net Price USD
72205013	Griddle Spatula	1	\$58
72400040	Spatter Protection Shield, Single Griddle (SHGR)	1	\$300
72400050	Spatter Protection Shield, Dual Griddle (SHDUGR)	1	\$599

GARLAND "Green Heat"





Prices shown in \$US Net Pricing Effective from October 15, 2023
Dimensions: in/mm • Total Output: kW/HP

Garland Induction Built-in Line Net Price List

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.

All Built-in Models pricing includes the built-in air kit 95000020 or 95000021




Important: Refer to Installation Guide for Dimensions, Ventilation, Electrical and Safety Requirements.

Product	Model No.	Article No.	Power kW	Voltage V	Amps A	Phase AC	Certification	Dimensions in. (mm) w x d x h	Ceramic Top in. (mm) w x d	Coil Ø in. (mm)	Weight lb (kg)	Net Price USD
	SHIN3500	99500040 95000021	2.5	208	12	1	ETL	15.1 x 15.1 x 8.8 (384 x 384 x 226)	12.6 x 12.6 (320 x 320)	8.66 (220)	24.2 (11)	\$1,899
	SHIN3500	99500044 95000021	3.5	208	16	1	ETL	15.1 x 15.1 x 8.8 (384 x 384 x 226)	12.6 x 12.6 (320 x 320)	8.66 (220)	24.2 (11)	\$2,299
	SHIN3500	99500075 98300221 94000028 95000021	3.5	230-240	15	1	CE	15.1 x 15.1 x 8.8 (384 x 384 x 226)	12.6 x 12.6 (320 x 320)	8.66 (220)	24.2 (11)	\$2,299
	SHIN5000	99500077 95000021	5.0	208	14	3	ETL	15.1 x 15.1 x 8.8 (384 x 384 x 226)	12.6 x 12.6 (320 x 320)	8.66 (220)	28.7 (13)	\$2,611
	SHDUN7000	9950101 95000020	2 x 3.5	208	22	3	ETL	25.3 x 15.1 x 6.1 (644 x 384 x 155)	12.6 x 22.8 (320 x 580)	2 x 8.66 (220)	55.1 (25)	\$4,332
	SHDUN7000	9950102 95000020	2 x 3.5	220	20	3	ETL	25.3 x 15.1 x 6.1 (644 x 384 x 155)	12.6 x 22.8 (320 x 580)	2 x 8.66 (220)	55.1 (25)	\$4,332
	SHDUN10000	9950105 95000020	2 x 5.0	208	30	3	ETL	25.3 x 15.1 x 6.1 (644 x 384 x 155)	12.6 x 22.8 (320 x 580)	2 x 8.66 (220)	59.5 (27)	\$4,779
	SHDUN10000	9950108 95000020	2 x 5.0	220	29	3	ETL	25.3 x 15.1 x 6.1 (644 x 384 x 155)	12.6 x 22.8 (320 x 580)	2 x 8.66 (220)	59.5 (27)	\$4,779

For other voltage options, please call to inquire.


All Built-in Models pricing includes the built-in air kit 95000020 or 95000021

Important: Refer to Installation Guide for Dimensions, Ventilation, Electrical and Safety Requirements.

Product	Model No.	Article No.	Power kW	Voltage V	Amps A	Phase AC	Certification	Dimensions in. (mm) w x d x h	Ceramic Top in. (mm) w x d	Coil Ø in. (mm)	Weight lb (kg)	Net Price USD
	SHWCIN3500	99580016 95000021	3.5	208	16	1	ETL	15.1 x 15.1 x 11.6 (384 x 384 x 297)	11.8 Cuvette Ø 300	10.63 (270)	24.2 (11)	\$2,760
	SHWCIN3500	99580018 95000021	3.5	240	14	1	ETL	15.1 x 15.1 x 11.6 (384 x 384 x 297)	11.8 Cuvette Ø 300	10.63 (270)	24.2 (11)	\$2,760
	SHWCIN5000	99580019 95000021	5.0	208	15	3	ETL	15.1 x 15.1 x 11.6 (384 x 384 x 297)	11.8 Cuvette Ø 300	10.63 (270)	26.5 (12)	\$3,103
	SHGRIN3500	99580051 95000021 95000068	3.5	208	16	1	ETL	21.3 x 15.7 x 6.9 (541 x 400 x 176)	19.1 x 13.5 (488 x 345)	52.9 (24)	\$5,167	
	SHGRIN3500	99580051 95000021 95000068	3.5	230	15	1	CE	21.3 x 15.7 x 6.9 (541 x 400 x 176)	19.1 x 13.5 (488 x 345)	52.9 (24)	\$5,167	
	SHGRIN5000	99580052 95000021 95000068	5.0	208	14	3	ETL	21.3 x 15.7 x 6.9 (541 x 400 x 176)	19.1 x 13.5 (488 x 345)	55.1 (25)	\$5,396	
	SHGRIN5000	99580053 95000021 95000068	5.0	400	8	3	CE	21.3 x 15.7 x 6.9 (541 x 400 x 176)	19.1 x 13.5 (488 x 345)	55.1 (25)	\$5,396	

SHGRIN pricing includes accessories:
Spatter Protection Shield (Single 1x), Griddle Spatula (1x), Cleaning Pad (1x).



Optional	Griddle Accessories Article Number	Description	Quantity	Net Price USD
	72205013	Griddle Spatula	1	\$58
	72400040	Spatter Protection Shield, Single	1	\$300




GARLAND "Green Heat"

Prices shown in \$US Net Pricing Effective from October 15, 2023
Dimensions: in/mm • Total Output: kW/HP

Garland Induction RTCSmp Compact Line Net Price List

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.

Important: Refer to Installation Guide for Dimensions, Ventilation, Electrical and Safety Requirements.

Model Name	Article No.	Description	Technical Data	Quantity	Total Net Price (USD)	
Garland Induction RTCSmp Compact Dual Install Cooking Tops						
	SHDUC7000S55-208	RTCSmp Install-Line Compactmodul Type: SHDUMNCL 7000 - S55	208V, 3Ph., 7.0 kW, 22A	1	\$4,596	
	99580204	RTCSmp Install-Line Compactmodul Type: SHDUMNCL 7000 - S55	208V, 3Ph., 7.0 kW, 22A	1		
		Coil carrier sheet with 2 round coils Ø 8.66" (220 mm) 3.5 kW	12.2" x 21.85" (310 x 555 mm)	1		
		Operation SHDUMNCL Compactmodul	39.37" (1000 mm)	2		
		77306004	Ceran glass, two cooking zones	11.81" x 23.42" x 0.24" (300 x 600 x 6 mm)	1	
		95000085	Built-in air kit Install-Line Compactmodul		1	
Option	SPGCR	Install Frame, CL, for Steel Countertop. (NOTE: "555" model does not include standard install frame.)		1	Add Additional NET \$440	
Option	SPGCR	Install Frame, CL, for STONE Countertop. "555"		1	Add Additional NET \$440	
SHDUC7000S10-208						
	99580205	RTCSmp Install-Line Compactmodul Type: SHDUMNCL 7000 - S10	208V, 3Ph., 7.0 kW, 22A	1		
		Operation SHDUMNCL Compactmodul	39.37" (1000 mm)	2		
		Coil carrier sheet with 2 round coils Ø 10.63" (270 mm) 3.5 kW	12.2" x 24.2" (310 x 610 mm)	1		
		77376504	Ceran glass, two cooking zones	14.76" x 25.6" x 0.24" (375 x 650 x 6 mm)	1	
		95000085	Built-in air kit Install-Line Compactmodul		1	
	9500102	SHDUMNCL Installation Frame #10 for steel countertop (typ. 16 to 10 gauge thick)		1		
Option	SPGCR	Install Frame, CL, for STONE Countertop. "810"		1	Add Additional NET \$440	

Model Name	Article No.	Description	Technical Data	Quantity	Total Net Price (USD)
SHDUCL700065-208					
	9958206	RTCSmp InstaLine Compactmodul Type: SHDUINCL 7000 - 655	208V, 3Ph., 7.0 kW, 22A	1	\$5,255
		Coil carrier sheet with 2 round coils Ø 10,63" (270 mm) 3.5 kW	12.2" x 25.6" (310 x 655 mm)	1	
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	2	
	77367204	Ceran glass, two cooking zones	14.17" x 28.35" x 0.24" (360 x 720 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		1	
	9500104	SHDUINCL Installation Frame 655 for steel countertop (typ. 16 to 10 gauge thick)		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "655"		1	Add Additional NET \$440
SHDUCL1000065-208					
	9958214	RTCSmp InstaLine Compactmodul Type: SHDUINCL 10000 - 555	208V, 3Ph., 10kW, 30A	1	\$4,750
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	2	
		Coil carrier sheet with 2 round coils Ø 8.66" (220 mm) 5.0 kW	12.2" x 21.85" (310 x 555 mm)	1	
	77308004	Ceran glass, two cooking zones	11.81" x 23.62" x 0.24" (300 x 600 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		1	
	9500104	SHDUINCL Installation Frame 655 for steel countertop, NOTE: "555" model does not include standard install frame.		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "555"		1	Add Additional NET \$440
Option	SPGCR	Install Frame, CL, for STONE Countertop, "555"		1	Add Additional NET \$440

Compact Line

Page 9

Model Name	Article No.	Description	Technical Data	Quantity	Total Net Price (USD)
SHDUCL10000610-208					
	9958215	RTCSmp InstaLine Compactmodul Type: SHDUINCL 10000 - 610	208V, 3Ph., 10kW, 30A	1	\$5,400
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	2	
		Coil carrier sheet with 2 round coils Ø 10,63" (270 mm) 5.0 kW	12.2" x 24.7" (310 x 610 mm)	1	
	77376504	Ceran glass, two cooking zones	14.76" x 25.6" x 0.24" (375 x 650 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		1	
	9500102	SHDUINCL Installation Frame 610 for steel countertop (typ. 16 to 10 gauge thick)		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "610"		1	Add Additional NET \$440
SHDUCL10000655-208					
	9958216	RTCSmp InstaLine Compactmodul Type: SHDUINCL 10000 - 655	208V, 3Ph., 10kW, 30A	1	\$5,400
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	2	
		Coil carrier sheet with 2 round coils Ø 10,63" (270 mm) 5.0 kW	12.2" x 25.6" (310 x 655 mm)	1	
	77367204	Ceran glass, two cooking zones	14.17" x 28.35" x 0.24" (360 x 720 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		1	
	9500104	SHDUINCL Installation Frame 655 for steel countertop (typ. 16 to 10 gauge thick)		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "655"		1	Add Additional NET \$440

Compact Line

Page 10

Model Name	Article No.	Description	Technical Data	Quantity	Total Net Price (USD)
Garland Induction RTCSmp Compact Quad Cooking Tops 					
SHQUCL14000655-208					
	9958204	RTCSmp InstaLine Compactmodul Type: SHDUINCL 7000 - 555	208V, 3Ph., 7.0 kW, 22A	2	\$8,600
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	4	
		Coil carrier sheet with 2 round coils Ø 8.66" (220 mm) 3.5 kW	12.2" x 21.85" (310 x 555 mm)	2	
	7766004	Ceran glass, four cooking zones	23.62" x 23.62" x 0.24" (600 x 600 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		2	
		Install Frame for Steel Countertop, NOTE: "655" model does not include standard install frame.		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "655"		1	Additional NET \$732
SHQUCL14000610-208					
	9958205	RTCSmp InstaLine Compactmodul Type: SHDUINCL 7000 - 610	208V, 3Ph., 7.0 kW, 22A	2	\$9,703
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	4	
		Coil carrier sheet with 2 round coils Ø 10,63" (270 mm) 3.5 kW	12.2" x 24.7" (310 x 610 mm)	2	
	7766504	Ceran glass, four cooking zones	25.6" x 25.6" x 0.24" (650 x 650 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		2	
	9500103	SHDUINCL Installation Frame 610 for steel countertop (typ. 16 to 10 gauge thick)		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "610"		1	Additional NET \$732

Compact Line

Page 11

Model Name	Article No.	Description	Technical Data	Quantity	Total Net Price (USD)
SHQUCL14000655-208					
	9958206	RTCSmp InstaLine Compactmodul Type: SHDUINCL 7000 - 655	208V, 3Ph., 7.0 kW, 22A	2	\$9,703
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	4	
		Coil carrier sheet with 2 round coils Ø 10,63" (270 mm) 3.5 kW	12.2" x 25.6" (310 x 655 mm)	2	
	77727204	Ceran glass, four cooking zones	28.35" x 28.35" x 0.24" (720 x 720 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		2	
	9500105	SHDUINCL Installation Frame 655 for steel countertop (typ. 16 to 10 gauge thick)		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "655"		1	Additional NET \$732
SHQUCL20000655-208					
	9958214	RTCSmp InstaLine Compactmodul Type: SHDUINCL 10000 - 555	208V, 3Ph., 10kW, 30A	2	\$9,360
		Operation SHDUINCL Compactmodul	39.37" (1000 mm)	4	
		Coil carrier sheet with 2 round coils Ø 8.66" (220 mm) 5.0 kW	12.2" x 21.85" (310 x 555 mm)	2	
	7766004	Ceran glass, four cooking zones	23.62" x 23.62" x 0.24" (600 x 600 x 6 mm)	1	
	9500085	Built-in air kit InstaLine Compactmodul		2	
		Install Frame, CL, for Steel Countertop, NOTE: "555" model does not include standard install frame.		1	
Option	SPGCR	Install Frame, CL, for STONE Countertop, "555"		1	Additional NET \$732

Compact Line

Page 12

Model Name	Article No.	Description	Technical Data	Quantity	Total Net Price (USD)
SHQUCL20000610-208					
	99580215	RTCSmp InstaLine Compactmodul Type SHDUJINCL 10000- 610	208V, 3Ph, 10kW, 30A	2	
		Operation SHDUJINCL Compactmodul	39.37" (1000 mm)	4	
		Coil carrier sheet with 2 round coils Ø 10.83" (270 mm) 5.0 kW	12.2" x 24.0" (310 x 610 mm)	2	
	77856504	Ceran glass, four cooking zones	25.6" x 25.6" x 0.24" (650 x 650 x 6 mm)	1	
	95000085	Built-in air kit InstaLine Compactmodul		2	
Option	95000103	SHQUJINCL Installation Frame 610 for steel countertop (typ. 16 to 10 gauge thick)		1	Additional NET \$732
	SPGCR	Install Frame, CL for STONE Countertop, "610"		1	
SHQUCL20000655-208					
	99580216	RTCSmp InstaLine Compactmodul Type SHDUJINCL 10000- 655	208V, 3Ph, 10kW, 30A	2	
		Operation SHDUJINCL Compactmodul	39.37" (1000 mm)	4	
		Coil carrier sheet with 2 round coils Ø 10.83" (270 mm) 5.0 kW	12.2" x 25.8" (310 x 655 mm)	2	
	77727204	Ceran glass, four cooking zones	28.35" x 28.35" x 0.24" (720 x 720 x 6 mm)	1	
	95000085	Built-in air kit InstaLine Compactmodul		2	
Option	95000105	SHQUJINCL Installation Frame 655 for steel countertop (typ. 16 to 10 gauge thick)		1	Additional NET \$732
	SPGCR	Install Frame, CL for STONE Countertop, "655"		1	

Compact Line

Page 13

GARLAND "Green Heat"

Prices shown in \$US Net Pricing Effective from October 15, 2023
Dimensions: in/mm • Total Output: kW/Wh

Garland Induction RTCSmp Hold Line Net Price List

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.
Important: Refer to Installation Guide for Dimensions, Ventilation, Electrical and Safety Requirements.

COMPANY CONFIDENTIAL
FOR INTERNAL USE ONLY.
DO NOT REDISTRIBUTE WITHOUT
WRITTEN AUTHORIZATION.

Model Name	Article No.	Description	Technical Data	Quantity	Total Net Price (USD)
Gastronom and Standard Size Pans					
HO1500-120	69620101	RTCSmp Hold Line 1500 - 120V 1.2kW 1Phase Stainless Steel	31.5" x 15.75" (800 x 400 mm)	1	\$3,132
Gastronom and Standard Size Pans					
HOIN1500-120	69620121	RTCSmp Hold Line 1500 - 120V	31.5" x 15.75" (800 x 400 mm)	1	\$3,286

Hold Line

Page 14

GARLAND "Green Heat"

Prices shown in \$US Net Pricing Effective from October 15, 2023
Dimensions: in/mm • Total Output: kW/Wh

Garland Induction Range with Convection Oven or Storage Base

IMPORTANT: Refer to spec sheet for electrical and specification data.

COMPANY CONFIDENTIAL FOR INTERNAL USE ONLY.
DO NOT REDISTRIBUTE WITHOUT
WRITTEN AUTHORIZATION.

Image	Model	Description	Net Price USD
	GME36-114C	Induction Range Top, Four (4) 3.5 kW Hobs, Base, 5kW Electric Convection Oven.	\$19,407
	GME36-120C	Induction Range Top, Four (4) 5.0 kW Hobs, Base, 5kW Electric Convection Oven.	\$20,901
	GME36-114S	Induction Range Top, Four (4) 3.5 kW Hobs, Storage Base w/ Intermediate Shelf.	\$16,422
	GME36-120S	Induction Range Top, Four (4) 5.0 kW Hobs, Storage Base w/ Intermediate Shelf.	\$17,915
Option	Caster Option	Four (4) 3/4inch Polyurethane (non-markings) swivel casters with front brakes, Casters are non-height adjustable.	\$453
<p>ALSO AVAILABLE, CALL FOR MORE INFORMATION</p> <p>Induction Range Top, Two (2) Hobs</p>			

Garland Induction Range GME Models

Page 15

GARLAND "Green Heat"

Prices shown in \$US Net Pricing Effective from October 15, 2023.
Dimensions: in/mm • Total Output: kW/Wh

Garland Induction Counter Top / Built-in Accessories Net Price List

Note: The purchase of Induction Unit is not subject to discounts, rebates or allowances.

COMPANY CONFIDENTIAL
FOR INTERNAL USE ONLY.
DO NOT REDISTRIBUTE WITHOUT
WRITTEN AUTHORIZATION.

Image	Article No.	Description	Ø x H in. (mm)	Capacity Gal (litre)	Net Price USD
	72205016	Round-base wok, Multilayer	14.1 x 3.9 (360 x 100)	1.35 (5.2)	\$242
	72205020	Round-base wok, Multilayer	14.1 x 5.5 (360 x 140)	2.47 (9.5)	\$300
	72205040*	Flat bottom wok for flat hobs, Multilayer *Limited Quantities Left. No Longer Available Once Stock Is Depleted.	14.0 x 3.1 (360 x 80)	1.3 (5.0)	\$242
	72205030	Lid	14.5 x 4.7 (370 x 120)		\$139
	95000020	Built-In Air Kit for BHIN and SHDUJIN, Kit includes: - Aluminium Spiroflex air duct, 5 m; Grease filter; Mounting kit for grease filter, air duct; PACTAN high temp silicone sealant for unit installation.			\$491
	95000021	Built-In Air Kit for SHIN, SHWOJIN and SHIN/GR, Kit includes: - Aluminium Spiroflex air duct, 5 m; Grease filter; Mounting kit for grease filter, air duct; PACTAN high temp silicone sealant for unit installation.			\$491
	95000085	Built-In Air Kit for Compact line SHDUJCL, Kit includes: Air Duct Flange (x2), and hose clamps (x2); Aluminium Spiroflex air duct; Grease filter holder and filter; PACTAN high temp silicone sealant for unit installation.			\$585
	95000088	Installation-mounting frame for steel countertop, flush mounting of SHGRJN. For stone countertop application, please contact your customer service agent for pricing and lead time.			\$431

Accessories

Page 16